

**HT100205 - 1000V Insulated Pliers**


- DIN ISO 5746
- Induction-hardened cutting edges
- Suitable for hard wire

HT Code	Length	Weight
HT100205	205mm	390g

**HT104200 - 1000V Insulated Long Nose Pliers**

- DIN ISO 5745
- Induction-hardened cutting edges
- Suitable for hard and soft wire

HT Code	Length	Weight
HT104200	200mm	230g

**HT112180 - 1000V Insulated Diagonal Pliers**

- DIN ISO 5749
- Swedish pattern
- Precision cutting edges relief-milled and induction-hardened

HT Code	Length	Weight
HT112180	180mm	330g

**HT116240 - 1000V Insulated Water Pump Pliers**

- Box joint
- Made from chrome vanadium 31 CrV3

HT Code	Length	Weight
HT116240	240mm	350g

**HT125240 - 1000V Insulated Cable Cutter**

- Dropped forged and oil hardened
- Only for Al +Cu wire
- Multi wire up to 50mm square

HT Code	Length	Weight
HT125240	240mm	455g

**HT623200 - 1000V Insulated Plastic Flat Nose Plier**

- Fully Insulated to EN/IEC 60900:2004 Specification
- Extremely Hard Plastic
- No Metal Parts inside

HT Code	Length	Weight
HT623200	200mm	152g



### HT762250 - 1000V Insulated Adjustable Spanner

- Din 3117 B
- Burnished

HT Code	Size	Weight
HT762250	250mm	515g



HT Code	Size	Weight
HT762300	300mm	750g

### 1000V Insulated Ring Spanners

- DIN 7447
- Forged from chrome vanadium steel (DIN 838)
- Deep cranked

HT Code	Size	Weight
HT21013	13mm	110g
HT21014	14mm	160g
HT21016	16mm	202g
HT21017	17mm	260g
HT21018	18mm	260g
HT21019	19mm	290g



HT Code	Size	Weight
HT21022	22mm	390g
HT21024	24mm	490g
HT21027	27mm	540g
HT21030	30mm	580g
HT21032	32mm	590g

### 1000V Open-Ended Spanners

- DIN 7446
- Forged from chrome vanadium steel (DIN3110)
- Offset 15°

HT Code	Size	Weight
HT20010	10mm	40g
HT20011	11mm	46g
HT20012	12mm	54g
HT20013	13mm	65g
HT20014	14mm	80g
HT20016	16mm	115g
HT20017	17mm	115g
HT20018	18mm	115g
HT20019	19mm	150g



HT Code	Size	Weight
HT20020	20mm	190g
HT20021	21mm	190g
HT20022	22mm	190g
HT20024	24mm	300g
HT20026	26mm	350g
HT20027	27mm	390g
HT20030	30mm	510g
HT20032	32mm	550g

### HT280260 - Reversible Ratchet

- Chrome vanadium steel
- Locked system
- Insulated after EN60900

HT Code	Length	Weight
HT280260	1/2" - 260 mm	700g



### HT290200 - T Piece

- Chrome vanadium steel
- Locked system
- Insulated after En/IEC 60900:2004

HT Code	Length	Weight
HT290200	1/2" - 200 mm	490g



### Extension Bars

- Chrome vanadium steel
- Locked system
- Insulated after En/IEC 60900:2004

HT Code	Length	Weight
HT285125	1/2" - 125 mm	190g

HT285250



HT Code	Length	Weight
HT285250	1/2" - 250 mm	400g



### 6-Point Sockets

- DIN 7448 with 1/2" Square Drive
- Made from chrome vanadium steel

HT Code	Size	Weight
HT31610	10mm	70g
HT31611	11mm	75g
HT31612	12mm	75g
HT31613	13mm	75g
HT31614	14mm	80g
HT31615	15mm	80g
HT31616	16mm	85g
HT31617	17mm	90g
HT31618	18mm	85g
HT31619	19mm	100g
HT31620	20mm	100g
HT31621	21mm	120g




HT Code	Length	Weight
HT31622	22mm	120g
HT31623	23mm	125g
HT31624	24mm	140g
HT31626	26mm	175g
HT31627	27mm	195g
HT31628	28mm	190g
HT31630	30mm	230g
HT31632	32mm	280g

### 1000V Insulated Screwdrivers

- DIN 7437
- For slotted screws


HT Code	Length	Weight
HT40055	1,0 x 5,5 x 125mm	100g
HT40065	1,2 x 6,5 x 150mm	125g
HT40010	1,6 x 10,0 x 200mm	260g



### 1000V Insulated Cross Screwdrivers

- DIN 7438
- For extremely high torque loads

HT Code	Style	Weight
HT4101	No 1	60g
HT4102	No 2	95g
HT4103	No 3	150g



### 1000V Insulated Hexagonal Socket Screwdrivers

- DIN 7439
- For hexagon screws

HT Code	Style	Weight
HT3704	4mm	55g




HT Code	Style	Weight
HT3706	6mm	100g

### 1000V Insulated Hexagonal Nut Screwdrivers

- Chrome vanadium steel
- Cutting jaw

HT Code	Style	Weight
HT3454	4mm	70g
HT34545	4,5mm	70g
HT3456	6mm	75g



HT Code	Style	Weight
HT34510	10mm	120g
HT34513	13mm	170g



**HT51550 - 1000V Insulated Bowed knife**

- Strong blade with bowed cutting edge

HT Code	Length	Weight
HT51550	50mm	95g

**HT52035/HT52545 - Cable Stripping Knives**

- Blade with short, offset cutting edge

HT Code	Length	Weight
HT52035	35mm	75g
HT52545	45mm	95g

**HT765250 - 1000V Insulated Mini Hacksaw**

- Fully insulated

HT Code	Length	Weight
HT765250	150mm	215g

**HT767450 - 1000V Insulated Hacksaw**

- Fully insulated
- With plastic screw for tensioning the blade

HT Code	Length	Weight
HT767450	450mm	300g

**HT91615 - 1000V Insulated 15 Piece Tool Kit**

- **Size:** 450 x 350 x 100mm
- **Weight:** 4,4kg
- **Tool kit contents not sold separately**

15 Piece tool kit - made up of table below	
Reversible Ratchet	1/2"
Extension Bars	125 & 250mm 1/2"
T-Lever (HT290200)	1/2"
Ratchet Sockets	10/12/13/14/17/19/22mm
Allen Screw Sockets	5/6/8 mm
Screwdriver	3.5 x 100mm

**HT90026 - 1000V Insulated 26 Piece Tool Kit**

- **Size:** 450 x 350 x 100mm
- **Weight:** 5kg
- **Tool kit contents not sold separately**

26 Piece tool kit - made up of table below	
Engineers Pliers	200mm
Side Cutters	160mm
Telephone Pliers	200mm
Reversible Ratchet	1/2"
Extension	250mm 1/2"
Stripper Knife	-
Cable Knife	-
Sockets	10/11/12/13/14/17/19mm
Open-Ended Spanner	10/11/12/13/14/17/19mm
Voltmeter	-
Screwdrivers	3.5 x 100/5.5x125/6.5x150/8x175

